


Palettiser

Compak

- o Low Cost
- o Small Footprint 16 feet long x 16 feet wide x 12 feet high
- o Load Up to 100kg
- o Automatic empty pallet loading
- o Corner Stacking for bags; gives more squareness to the pallet
- o Mid pallet loading (for two pallets on top of each other)
- o Sheet separator for Canada Gap regulation (optional)



Palettiser

Double

- o Low Cost
- o Palletize on both sides. Faster palettizing
- o Load Up to 100kg
- o Automatic empty pallet loading
- o Corner Stacking for bags; gives more squareness to the pallet
- o Mid pallet loading (for two pallets on top of each other)
- o Sheet separator for Canada Gap regulation (optional)



Palletiser - Collaborative

Simple with Case Erector

- o Palletize on one side and a Case Erector on the other side
- o Load Up to 15kg
- o Collaborative: No fence needed
- o Can stack as 8 feet high
- o Capable of doing another task in front of him



Palletiser - Collaborative


Double

- o Palletize on both Side
- o Load Up to 15kg
- o Collaborative: No fence needed
- o Can stack as 8 feet high
- o Capable of doing another task in front



SANDER


- o Self-Loading. No employee needed
- o Up to 42 x 36-inch door size
- o High Speed Adjustable Pressure sanding
- o Four different sanding patterns including a weaving pattern.
- o Easy of use HMI
- o Collaborative option



Pick & Place

Delta Robot IP69 (Sanitary)

- o Capable of 60 picks per minute
- o Paired with a Camera Vision for product orientation
- o Robot Controller: Allen-Bradley PLC and HMI.
- o Capable of controlling other equipment such as conveyor, upward and downward machine.



Wood Stick Spacer Stacker

- o Place wood stick between row of Hardwood
- o Two cycles of 13 sticks per minute
- o Wood stick singularizer

Call us for more information and guidance:

[450-914-1036](tel:450-914-1036)